

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020143792".pn. AND (routine\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:33
L2	0	"20020026521".pn. AND dll	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:33
L3	0	"20020026521".pn. AND dynamic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:34
L6	0	"20020026521".pn. AND library	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:36
L7	1	"5768597".pn. AND (library dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:45
L8	0	"6336216".pn. AND (library dll)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:36
L9	387	compress\$3 NEAR4 (dll executable)	US-PGPUB; USPAT	OR	OFF	2005/01/03 14:46
L11	43	9 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2005/01/03 14:46
S1	415	compress\$6 NEAR4 executable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:29
S2	35	S1 AND "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:46
S3	69	(compress\$6 NEAR4 executable\$1).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 12:56
S4	19	creat\$3 NEAR6 (self-extract\$4) NEAR4 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:05

S5	3	winzip.ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:05
S6	16	creat\$3 NEAR10 (compress\$6 NEAR4 executable\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 14:16
S7	43	(self-extract\$4) NEAR6 executable\$1	USPAT	OR	OFF	2004/11/30 15:22
S8	4461	file\$1 NEAR4 compress\$6	USPAT	OR	OFF	2004/11/30 15:22
S9	64	S8 AND (self ADJ1 (executable\$1 extract\$5))	USPAT	OR	OFF	2004/11/30 15:23
S10	3	("6049892" "6381709").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/30 16:48
S11	370	(self ADJ1 extract\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 10:44
S12	165	(self ADJ1 extract\$4) NEAR2 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:29
S13	13	((self ADJ1 extract\$4) NEAR2 file\$1).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 11:01
S14	2	"20020143792".pn. AND launch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 11:01
S15	45	(self ADJ1 execut\$4) NEAR2 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:34
S16	915	zip\$4 NEAR2 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:34
S17	156	S16 AND gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:34

S18	23	S17 AND (automatic\$4 NEAR4 (extract\$3 execut\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:37
S19	132	((self automatic\$4) NEAR2 (execut\$4 extract\$4)) NEAR2 file\$1) AND launch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:54
S20	39	(zip\$4 NEAR2 file\$1).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 12:54
S21	22	((self automatic\$4) NEAR2 (execut\$4 extract\$4)) NEAR2 file\$1).ti,ab.	US-PGPUB; USPAT	OR	OFF	2004/12/17 12:57
S22	45	(creat\$4 NEAR10 (((self automatic\$4) NEAR2 (execut\$4 extract\$4)) NEAR2 file\$1))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:25
S23	188	(creat\$4 NEAR10 (zip\$4 NEAR2 file\$1))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:24
S24	14	S23 AND gui	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:24
S25	488	((self automatic\$4) NEAR2 (execut\$4 extract\$4)) NEAR2 file\$1))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:25
S26	61	S25 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:27
S27	73	S25 AND "717"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:30
S28	17	S25 AND "711"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:31
S29	33	automatic\$4 SAME launch\$3 SAME extract\$4 SAME file\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:35
S30	1370	(self NEAR4 (packing packs pack))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:35
S31	0	(self NEAR4 (packing packs pack)) NEAR4 file\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:35
S32	1	(self NEAR4 (unpacking unpacks unpack)) NEAR4 file\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:36
S34	6	(nam\$3 NEAR4 (file\$1 NEAR4 (self NEAR2 (extract\$4 execut\$4))))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:40
S35	0	(nam\$3 NEAR4 (file\$1 NEAR4 (input AND ouput)))	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:40
S36	0	(nam\$3 NEAR4 file\$1 NEAR4 input) AND (nam\$3 NEAR4 file\$1 NEAR4 ouput)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:41
S37	442	(nam\$3 NEAR4 file\$1 NEAR4 input) AND (nam\$3 NEAR4 file\$1 NEAR4 output)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:41

S38	292	(nam\$3 NEAR4 file\$1 NEAR4 input) SAME (nam\$3 NEAR4 file\$1 NEAR4 output)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:41
S39	261	(nam\$3 NEAR4 file\$1 NEAR4 input) WITH (nam\$3 NEAR4 file\$1 NEAR4 output)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:41
S40	59	S39 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:42
S41	28	generat\$4 NEAR4 (zip\$4 NEAR2 file\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:43
S42	104	automatic\$4 NEAR4 generat\$4 NEAR4 nam\$3 NEAR4 file\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:45
S43	7	automatic\$4 NEAR4 generat\$4 NEAR4 nam\$3 NEAR4 file\$1 NEAR2 output	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:45
S44	11	(automatic\$4 NEAR4 generat\$4 NEAR4 nam\$3 NEAR4 file\$1).ti,ab.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:46
S45	0	(automatic\$4 NEAR4 generat\$4 NEAR4 nam\$3 NEAR4 file\$1 NEAR2 zip\$4)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:46
S46	29	zip\$4 NEAR2 file\$1 NEAR4 nam\$3	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:50
S47	292	default NEAR2 file\$1 NEAR4 nam\$3	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:51
S48	1	(default NEAR2 file\$1 NEAR4 nam\$3) NEAR10 automatic\$4	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:57
S49	48	S47 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:51
S50	325	(target\$1 NEAR2 file\$1 NEAR4 nam\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/17 13:57
S51	34	(target\$1 NEAR2 file\$1 NEAR4 nam\$3) SAME (source\$1 NEAR2 file\$1 NEAR4 nam\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:01
S52	262	(creat\$3 generat\$3) NEAR4 (new NEAR2 file\$1 NEAR4 nam\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:02
S53	8	((creat\$3 generat\$3) NEAR4 (new NEAR2 file\$1 NEAR4 nam\$3)).ti,ab.	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:02
S54	0	("2002/0078069").URPN.	USPAT	OR	OFF	2004/12/17 14:11
S55	662	(file\$1 NEAR4 nam\$3) NEAR4 version\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:11
S56	15	((file\$1 NEAR4 nam\$3) NEAR4 version\$1).ti,ab.	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:12
S57	51	(file NEAR3 nam\$3) NEAR4 generator\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:21
S58	1	"20020026521".pn. AND nam\$3	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:22
S59	1860	output NEAR2 file NEAR2 nam\$3	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:22
S60	13	S59 AND (zip\$4 NEAR2 file\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:39

S61	2911	convert\$ NEAR4 file\$1 NEAR4 format\$1	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:40
S62	123	S61 AND (output NEAR4 file\$1 NEAR4 nam\$3)	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:40
S63	23	S62 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:43
S64	49	((output target result) NEAR2 file) NEAR4 nam\$3) NEAR4 (after based)	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:49
S65	83	((output target result) NEAR2 file) NEAR4 nam\$3) NEAR4 creat\$3	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:49
S66	30	S65 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 14:52
S67	205	nam\$3 NEAR4 (zip\$3 compressed) NEAR4 file	US-PGPUB; USPAT	OR	OFF	2004/12/17 15:47
S68	112	(single SAME double SAME click\$3) AND (voice SAME keyboard SAME (input\$4 command\$1))	US-PGPUB; USPAT	OR	OFF	2004/12/17 15:49
S69	12	S68 AND "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2004/12/17 15:50
S70	0	"20020143792".pn. AND (action\$1)	USPAT	OR	OFF	2004/12/30 15:20
S71	1	"20020143792".pn. AND (action\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/30 15:23
S72	1	"20020143792".pn. AND (routine\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/30 17:40
S73	1	"20020143792".pn. AND (compression\$1)	US-PGPUB; USPAT	OR	OFF	2004/12/30 19:02
S74	1	"20020026521".pn. AND compress\$4	US-PGPUB; USPAT	OR	OFF	2004/12/30 19:05
S75	1	"6175896".pn. AND compress\$3	US-PGPUB; USPAT	OR	OFF	2004/12/30 17:53
S76	1	"6175896".pn. AND compress\$4	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:29
S77	709	(self NEAR2 (execut\$4 extract\$4)) AND compress\$4	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:06
S78	43	(self NEAR2 (execut\$4 extract\$4)) AND ("same" NEAR4 compress\$4)	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:15
S79	1	"6049892".pn.	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:15
S80	0	"6049892 6381709".pn. AND compress\$4	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:15
S81	1	"6175896".pn. AND compression\$1	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:50
S82	0	"20020026521".pn. AND plug	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:50
S83	0	"20020026521".pn. AND plug\$	US-PGPUB; USPAT	OR	OFF	2004/12/30 18:50
S84	1	"20020143792".pn. AND loader\$1	US-PGPUB; USPAT	OR	OFF	2004/12/30 19:02

S85	1	"20020026521".pn. AND auto-start	US-PGPUB; USPAT	OR	OFF	2004/12/30 19:06
S86	0	"20020026521".pn. AND gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 12:29
S87	1	"20020026521".pn. AND (graphical NEAR4 interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 14:31